

FIRE RESCUE SAWS

TEAM
EQUIPMENT, INC.



TEAM
RESCUE
TOOLS

Time Tested, Time Trusted, Since 1985

TEAM GAS POWERED RESCUE SAWS



**BEST SELLING RESCUE SAW
IN THE U.S.A.**

K12FD94 Featuring the ergonomically designed Husqvarna 6.5hp. (94cc) 14" Rescue Saw with improved reliability and firefighter performance. Includes an advanced X-Torq air-cooled gas engine, Smart Carburetor with active air filtration that automatically adjusts fuel mixture to ensure maximum cutting performance with greater fuel efficiency. A lightweight adjustable 14" magnesium blade guard with reflective Fire Rescue lettering, automatic belt tensioner, decompression valve, large "D" ring starter handle, scrench tool with holder and carrying sling. Maximum cutting depth of 4.8", Weight 24 lbs.

TEAM K12FD94 14" RESCUE SAW



6.5hp, 94cc

- K12FD94** 14" 6.5hp, 94cc Rescue Saw Only
- K12FD94-14P** 14" 6.5hp Rescue Saw & PIRAYA Diamond Blade
- K12FD94-14C** 14" 6.5hp Rescue Saw & Carbide Tipped Blade

Fire Service Saw of Choice for Over 60 Years!



TEAM K12FD94- 16" RESCUE SAW

K12FD94-16 featuring the same power and features as the legendary K12FD94 but with a larger 16" blade guard and a wet cut kit. This saw provides a maximum cutting depth of 5.9", Weight 26.5 lbs.



6.5hp, 94cc

- K12FD94-16** 16" 6.5hp, 94cc Rescue Saw Only
- K12FD94-16P** 16" 6.5hp Rescue Saw & PIRAYA Diamond Blade

TEAM GAS POWERED RESCUE SAWS

For over 60 Years, the fire service has chosen the Partner/Husqvarna K12FD Rescue saw over all other cutters on the market. Designed to satisfy and exceed every demand made by the Fire Service, our Husqvarna powered Rescue Saws have proven to be the best all-around primary rescue saw in the industry and will surely be the emergency services rescue saw of choice for years to come!



TEAM K12FD74-12" RESCUE SAW

K12FD74 – 12", 5hp (74cc) Husqvarna Lightweight Rescue Saw. Includes an X-Torq air-cooled 2-stroke gas engine, SmartCarb, DuraStarter, "D" ring starter handle, scrench tool with holder, decompression valve, adjustable magnesium guard with reflective Fire Rescue lettering and equipment sling. Maximum cutting depth of 4", Weight 21 lbs.

- K12FD74** 12" 5hp Rescue Saw Only
- K12FD74-12P** 12" 5hp Rescue Saw & 12" PIRAYA Diamond Blade
- K12FD74-12C** 12" 5hp Rescue Saw & 12" Carbide Tipped Blade



5hp, 74cc

TEAM K12FD770-14" RESCUE SAW

K12FD770 – 14" 5hp (74cc) Husqvarna Lightweight Rescue Saw. Includes 14" blade guard, X-Torq air-cooled two-stroke gas engine, SmartCarb, DuraStarter, "D" ring starter handle, scrench tool with holder, decompression valve, adjustable magnesium guard with reflective Fire Rescue lettering and equipment carrying sling. Maximum cutting depth of 4.8", Weight 21 lbs.

- K12FD770-14** 14" 5hp Rescue Saw Only
- K12FD770-14P** 14" 5hp Rescue Saw & 14" PIRAYA Diamond Blade
- K12FD770-14C** 14" 5hp Rescue Saw & 14" Carbide Tipped Blade



5hp, 74cc



TEAM GAS POWERED ROTARY RESCUE SAW KITS



All Our Gas Powered Rotary Rescue Saw Kits come with the following basic components.

(1) One gallon safety gas can, (2) 2-cycle oil, (1) gasoline stabilizer, (1) hearing protector, (1) goggles, (1) spare air filter and (1) spare drive belt. Red Steel Case sold separately.

TEAM 14ELITE-FIRE KIT

TEAM - Husqvarna 14ELITE-FIRE Kit includes: (1) K12FD94 14" Rescue Saw, (2) Piraya Diamond Blades, (2) Lightning Diamond Blades, (2) Carbide Tipped Blades, (2) Abrasive Rescue Blades with basic kit components outlined above. Optional full size steel case sold separately. With the TEAM 14ELITE-FIRE Rescue Saw Kit, failure is not an option. This exceptionally well thought out kit covers all your cutting challenges allowing fast grab and go access to your Rescue Saw when you need it. Kit weight (no case) 70 lbs.

14ELITE-FIRE 14" 94cc Rescue Saw Kit, (no case)

FC6570M Full Size Red Steel Case (case weight 42 lbs.)



*** Kit shown with optional full size case.



*** Kit shown with optional full size case.

TEAM 14PRO-FIRE KIT

TEAM PRO-FIRE Rescue Kits Includes:

(1) K12FD94 14" Rescue Saw, (2) Piraya Diamond Blades (2) Carbide Tipped Blazer Blades, with basic kit components outlined above. Optional full size steel case sold separately. Kit weight 62 lbs.

14PRO-FIRE 14" 94cc Rescue Saw Kit, (no case)

FC6570M Full Size Red Steel Case (case weight 42 lbs.)



*** Kit shown with optional full size case.

TEAM 14STD KIT

TEAM STANDARD Rescue Kits Includes:

(1) K12FD94 14" Rescue Saw, (1) Carbide Tipped Blazer Blade, (2) Abrasive Wheels with basic kit components outlined above. Optional full size steel case sold separately. Kit weight 50 lbs.

14STD 14" 94cc Rescue Saw Kit, (no case)

FC6570M Full Size Red Steel Case (case weight 42 lbs.)

TECHNICAL SPECIFICATIONS - K12FD RESCUE SAWS

TEAM K12FD RESCUE SAWS SPECIFICATIONS



MODEL		K12FD94-16	K12FD94	K12FD770-14	K12FD74	K12FDE10	K12FDE14
POWER	Output Power	6.5 hp	6.5 hp	5 hp	5 hp	2 hp ≡	6 hp ≡
	Cylinder Displacement	94 cc	94 cc	74 cc	74 cc	40/36 volt	96 volt
	Power Source	GAS	Gas	GAS	GAS	BATTERY	BATTERY
CUTTING EQUIPMENT	Cutting Depth, Max	5.9 inch	4.8 inch	4.8 inch	4 inch	3.9 inch	5.7 inch
	Blade Diameter, Max	16 inch	14 inch	14 inch	12 inch	10.5 inch	14 inch
	Arbor Diameter	1 inch & 20 mm	1 inch & 20 mm	1 inch & 20 mm	1 inch & 20 mm	1 inch	1 inch & 20 mm
	Blade Thickness, Max	0.2 inch	0.2 inch	0.2 inch	0.2 inch	0.118 inch	0.12 inch
	Magnesium Blade Guard	✓	✓	✓	✓	✓	✓
	Wet Cutting kit	✓	NO	✓	NO	✓	✓
	Reversible Cutting Arm	✓	✓	✓	✓	NO	NO
ERGONOMICS	Adjustable Carry Strap	✓	✓	✓	✓	NO	✓
	Sound Power Level (LWA)	115 db(A)	115 db(A)	115 db(A)	115 db(A)	101.5 db(A)	102 db(A)
	Sound Pressure at Ear	101 db(A)	101 db(A)	101 db(A)	101 db(A)	101.5 db(A)	102 db(A)
	Vibrations Front Handle	3.8 m/s ²	3.8 m/s ²	2.0 m/s ²	2.1 m/s ²	3.7 m/s ²	2.2 m/s ²
	Vibrations Rear Handle	4.2 m/s ²	4.2 m/s ²	2.3 m/s ²	2.3 m/s ²	2.5 m/s ²	1.9 m/s ²
DIMENSIONS	Product Size Length	27 inch	27 inch	24 inch	24 inch	22 inch	25.5 inch
	Product Size Width	9 inch	9 inch	8.86 inch	8.7 inch	8 inch	9.17 inch
	Product Size Height	18.94 inch	18.94 inch	16.34 inch	15.39 inch	13 inch	16.7 inch
	Weight (without blade)	26.5 lbs	24.3 lbs	22.4 lbs	22 lbs	9.19 lbs	17.6 lbs
OTHER	SCRENCH TOOL HOLDER	✓	✓	✓	✓	YES	YES
	"D" STARTER HANDLE	✓	✓	✓	✓	NA	NA
	X-TORQ POWER	✓	✓	✓	✓	NA	NA
	AUTOTUNE CARB.	✓	✓	✓	✓	NA	NA
	2 Stroke Air-Cooled Engine	✓	✓	✓	✓	NA	NA
	Active Air Filtration™	✓	✓	✓	✓	NA	NA
	D compression Valve	✓	✓	✓	✓	NA	NA
	SPARK PLUG	CHAMPION RCJ7Y / NGK BPMR7A				NA	NA
	FUEL CAPACITY	1.1 qt.	1.1 qt.	0.95 qt.	0.95 qt.	40/36 VOLT	94 VOLT
	FUEL TYPE	87 OCTANE GASOLINE OR HIGHER - 2 STROKE OIL MIXED 50:1				BATTERY	BATTERY
	FUEL / POWER INDICATOR	✓	✓	✓	✓	✓	✓
	WARRANTY	1 YEAR					

*** ≡ Equivalent +/-

TEAM GAS POWERED VENTILATION CHAINSAWS

SHARK II VENTILATION CHAINSAW

We start with Husqvarna's most advanced Chainsaw for demanding professional use featuring an X-Torq 5.5 hp (71cc) gas engine providing high torque over a very wide rpm range with low fuel consumption and lower exhaust emission. Upgraded with Firefighter features for ergonomics and performance and you've got a machine to run with you all day long under the most grueling conditions. Featuring a full wrap handle, "D" ring pull start, decompression valve, easy one hand operating depth adjuster, heavy duty reversible bar running tungsten carbide tipped chain with a Husqvarna 572XPW powerhead, with an auto tune carburetor. Available in 16" (54 drive link), 20" (64 drive link) or 20" (66 drive link) . Weight 21 lbs.



- TS2-57216** SHARK II - 572, 16" 5.5hp 54 Drive Link Ventilation Rescue Chainsaw
- TS2-5722064** SHARK II - 572, 20" 5.5hp 64 Drive Link Ventilation Rescue Chainsaw
- TS2-5722066** SHARK II - 572, 20" 5.5hp 66 Drive Link Ventilation Rescue Chainsaw

SHARK II VENTILATION CHAINSAW



SHARK FIRE RESCUE VENTSAWS OFFER HIGHER CUTTING CAPACITY



CARBIDE TIP

DRIVE LINKS

Many Fire Departments have several ventilation chainsaws throughout their fleet. With this in mind, TEAM offers different length bars and chains to ease spare parts management. Prior to ordering a new saw, your local salesman will want to know how many drive links any of your current saws have, so we can quote you a saw that will seamlessly merge into your existing fleet and simplify your spare parts management. To count your drive links, simply remove the chain off your chainsaw and count the drive links. Drive links are the tips that ride in the channel of the bar and not the cutting tips (they look like shark fins).

TEAM GAS POWERED VENTILATION CHAINSAWS

SHARK III VENTILATION CHAINSAW



SHARK III includes all the features and components of the SHARK II Ventilation Chainsaw but with an upgraded engine to Husqvarna's strongest, most advanced chainsaw powerhead for demanding professional use, featuring a manual tune carburetor, 6.9 hp. (90cc) engine. Weight 22 lbs.

TS3-58516	SHARK III, 585, 16" 6.9hp 54 Drive Link Ventilation Rescue Chainsaw
TS3-5852064	SHARK III, 585, 20" 6.9hp 64 Drive Link Ventilation Rescue Chainsaw
TS3-5852066	SHARK III, 585, 20" 6.9hp 66 Drive Link Ventilation Rescue Chainsaw

TEAM SHARK II & III VENTILATION CHAINSAW KIT UPGRADES

Upgrade Your TEAM SHARK Ventilation Chainsaw to a Kit.

These exceptionally well thought out kits cover all the bases allowing fast grab and go access to accessories when you need it.

Kits include:

(1) Safety Gas can, (1) bar oil, (1) 2-cycle oil, (1) air filter, (1) fuel stabilizer, (1) eye & ear protection, (1) chain guard.

SHARK KITS:

SHARK II with Husqvarna 572XP powerhead or **SHARK III** with Husqvarna 585 powerhead.

S2ACCKIT572 Shark 2 572 Kit (Gas can, bar & 2-cycle oil, filter, stabil, eye & ear PPE, chain guard)

S3ACCKIT585 Shark 3 585 Kit (Gas can, bar & 2-cycle oil, filter, stabil, eye & ear PPE, chain guard)



Bar & Chain Options:

16" Bar for 54 drive link chain
20" Bar for 64 drive link chain
(SHARK saws 1999 and older)
20" Bar for 66 drive link chain
(other brand saws may use
66 drive links)

SHARK Simple and easy to use CDA-80 depth adjuster adjusts from 1" to 10" cutting depth with one hand operation. Removes in seconds when full bar length cutting is needed. SHARK Industrial strength hardened steel slotted guide bar is extremely durable and reversible for extended life. Designed specifically for the fire service, our TEAM's tungsten carbide tipped dual raker chain outlasts 20+ standard chains. From roof ventilation to disaster response, SHARK Ventilation Chainsaws are proven and trusted.

***** If you already have SHARK Ventilation Chainsaws in your fleet and want the same chain size on your new saw, count the drive links so you order a model with the same number of drive links.**

TEAM GAS POWERED COMBINATION SAW KITS

TEAM ALPHA KIT

The **TEAM ALPHA Kit** is designed to be your “A-TEAM”, primary cutting saws. The industry standard powerhouse saws every truck should have.

TEAM ALPHA Kit Includes:

(1) K12FD94 - 14”, 94cc gasoline powered rotary Rescue Saw and (1) SHARK II-572 Ventilation Chainsaw (choice of bar length) with basic kit components to include: (1) 14” Piraya Diamond Blade, (1) One gallon safety gas can, (2) 2-cycle oil, (1) gasoline stabilizer, (2) hearing protector, (2) goggles, (1) bar & chain oil, and (1) bar protector.

ALPHA-54DL K12FD94 & SHARK II-572, 16”, 54DL Ventsaw Bundle

ALPHA-64DL K12FD94 & SHARK II-572, 20”, 64DL Ventsaw Bundle

ALPHA-66DL K12FD94 & SHARK II-572, 20” 66DL Ventsaw Bundle



TECHNICAL SPECIFICATIONS - SHARK CHAINSAWS



MODEL		SHARK II - 16" (54DL)	SHARK II - 20" (64DL)	SHARK II - 20" (66DL)	SHARK III - 16" (54DL)	SHARK III - 16" (64DL)	SHARK III - 16" (66DL)
PART NO.		TS2-57216	TS2-5722064	TS2-5722066	TS3-58516	TS3-5852064	TS3-5852066
POWER	MANUFACTURER	HUSQVARNA®			HUSQVARNA®		
	POWER HEAD	572 XP			585		
	POWER OUTPUT	5.8hp / 4.3kw			6.9hp / 5.1kw		
	DISPLACEMENT	4.3ci / 70.6cc			5.25ci / 88cc		
CHAIN	DRIVE LINKS	54 DRIVE LINKS	64 DRIVE LINKS	66 DRIVE LINKS	54 DRIVE LINKS	64 DRIVE LINKS	66 DRIVE LINKS
	TYPE	HIGH IMPACT CARBIDE TIPPED CHAIN			HIGH IMPACT CARBIDE TIPPED CHAIN		
	CUTTER TYPE	CARBIDE FLAT 25° - DUAL RAKER			CARBIDE FLAT 25° - DUAL RAKER		
	PITCH	0.404 inch			0.404 inch		
	GAUGE	0.063 inch			0.063 inch		
BAR	TYPE	HARDENED STEEL			HARDENED STEEL		
	DEPTH GAUGE READY	YES - SLOTTED FOR CDA-80 DEPTH GAUGE			YES - SLOTTED FOR CDA-80 DEPTH GAUGE		
	NOSE TYPE	SPROCKET WITH SEALED BEARING			SPROCKET WITH SEALED BEARING		
	DURABILITY	HARDENED STEEL - REVERSABLE FOR EXTENDED LIFE			HARDENED STEEL - REVERSABLE FOR EXTENDED LIFE		
	GAUGE	0.063 inch			0.063 inch		
	LENGTH (NOT MOUNTED)	20 inch			24 inch		
DEPTH GAUGE	INCLUDED	YES			YES		
	TYPE	CDA-80 ADJUSTABLE			CDA-80 ADJUSTABLE		
	ATTACHMENT TYPE	THROUGH BAR			THROUGH BAR		
	MATERIAL	ALUMINUM			ALUMINUM		
	DEPTH ADJUSTMENT	2 inch to 9 inch +/-			2 inch to 9 inch +/-		
DIMENSIONS	WEIGHT	20.2 lbs / 9.2 kg	20.9 lbs / 9.5 kg	21.1 lbs / 10.9 kg	22.4 lbs / 10.2 kg	23.3 lbs / 10.6 kg	23.4 lbs / 10.6 kg
	LENGTH	32.5 in / 826 mm	36.5 in / 927 mm	37.5 in / 953 mm	32.5 in / 826 mm	36.5 in / 927 mm	37.5 in / 953 mm
	WIDTH	12.5 in / 318 mm	12.5 in / 318 mm	12.5 in / 318 mm	12.5 in / 318 mm	12.5 in / 318 mm	12.5 in / 318 mm
	HEIGHT	12.5 in / 318 mm	12.5 in / 318 mm	12.5 in / 318 mm	13.2 in / 335 mm	13.2 in / 335 mm	13.2 in / 335 mm
OTHER	FULL WRAP HANDLE	YES			YES		
	SCRENCH TOOL HOLDER	YES			YES		
	"D" STARTER HANDLE	YES			YES		
	X-TORQ POWER	YES			YES		
	AUTOTUNE CARB.	YES			NO		
	SPARK PLUG	CHAMPION RCJ7Y / NGK BPMR7A			NGK CMR6H		
	FUEL CAPACITY	0.185 gal / 0.70 L			0.238 gal / 0.90 L		
	FUEL TYPE	87 OCTANE GASOLINE OR HIGHER - 2 STROKE OIL MIXED 50:1			87 OCTANE GASOLINE OR HIGHER - 2 STROKE OIL MIXED 50:1		
	BAR OIL CAPACITY	0.85 pint / 0.40 L			0.89 pint / 0.42 L		
	NOISE LEVEL	AT OPERATOR 105 db			AT OPERATOR 112 db		
	WARRANTY	2 YEAR			2 YEAR		

94V BATTERY POWERED 14" ROTARY SAW

REAL POWER THAT WON'T WEIGH YOU DOWN

K12FD-E14 RESCUE K1 PACE

Gasoline Performance in a
Battery Powered Rotary Saw



Husqvarna Has Changed The K12 Rescue Saw Forever!

The K12FD-E14 K1 Pace Cutoff Saw, featuring Husqvarna's most advanced K1 Pace battery technology, was designed from the ground up to equal or surpass all the needs of the fire service with performance rivaling that of its historic predecessors. From the Partner K12 through today's gas powered K970 Rescue Saws. The K1 Pace battery-powered E14 Rescue Saw, powered by a 94-volt high-powered battery, delivers power and performance comparable to today's gas-powered peers—without the drawbacks associated with gas-powered equipment.

**Zero direct emissions - No spark plug to foul - No fuel lines to break
No pull start to break - No carburetor repairs**



TEAM PIRAYA Diamond Blade vacuum brazed diamond for fast cutting everything a fire department needs. The Piraya diamond blade has quickly become the standard Fire Department "go to" blade across the nation. The "Cut All" Blade.




TEAM MAXIBLADE - our top performing carbide tip blade with deep gullets to clear chips and other debris from the cut faster making it ideal for emergency use when super fast wood cutting is required.

94V BATTERY POWERED ROTARY SAW

K12FD-E14 RESCUE

K1PACE Battery Powered Saw



SPECIFICATIONS

HUSQVARNA K1 PACE	12" (300 mm)	14" (350 mm)
Brushless Husqvarna Motor	YES	YES
Nominal Voltage	94 Volt	94 Volt
Recommended Batteries	B380X, B750X	B380X, B750X
Cutting Depth, Maximum	4.7" (121mm)	5.7" (144.5mm)
Max Blade Speed RPM	3800 RPM	3400 RPM
Length (excluding blade)	25.5" (648mm)	25.5" (648mm)
Height	16" (400mm)	16.6" (423mm)
Weight (excluding battery)	15.8 lbs. (7.2kg)	16.3 lbs. (7.4kg)



Weight – machine weight with battery is comparable to equivalent gas Power Cutter

Balance – battery position and blade are centered to optimize machine balance

Lower RPM – allow for thinner blade core to maximize cutting performance, battery efficiency, and runtime



	K12E14RBDLP7	K12E14RBDLM7	K12E14RSQBDLP	K12E14RSQBDLM	K12FD-E14RSQ	K1PACE-12	K1PACE-14
12", K1 Pace Saw						✓	
14", K1 Pace Saw	✓	✓	✓	✓	✓		✓
B380X BATTERY			✓ 2	✓ 2			
B750X BATTERY	✓ 2	✓ 2					
C900X CHARGER			✓	✓			
C1800X CHARGER	✓	✓					
BLADES							
TACTI-CUT BLADE						✓	✓
PIRAYA BLADE	✓		✓				
Maxiblade - Carbide Tipped		✓		✓			
RESCUE PARTS							
RESCUE STRAP	✓	✓	✓	✓	✓		
RESCUE BRACKETS	✓	✓	✓	✓	✓		
GLOW STICKERS	✓	✓	✓	✓	✓		
SAW OPTIONS							
K12FDE-STORAGE							
K12FDE-VACKIT							

NOTE: Part numbers ending in RSQ or RSQBDL are the only models with strap and rescue parts.

RESCUE Models:

Includes: 94V Battery Saw, Carrying Strap, power and charger, Reflective Glow Lettering and optional blade

Blade options:

(1) Piraya Diamond Blade or (1) Carbide Tipped MAXIBLADE

Power and charger options:

(2) B380X batteries and (1) C900X charger or

(2) B750X batteries and (1) C1800X charger

Saw weight with B380X Battery and strap 25 lbs.

Saw weight with B750X Battery and strap 29.5 lbs.

Basic K1 Pace E12 & E14 Models:

Includes: 94V Battery Saw, (1) Tacti-Cut Blade

No Battery, No Charger, No FD Upgrades.

94V BATTERY SAWS & ACCESSORIES



B380X PACE BATTERY
High Power PACE Battery
equipped built-in
connectivity
Capacity: 375 Wh.
Weight 6.6 lbs. (3kg)
Charge Time:
C900X charger: 45 minutes
C1800X charger 45 minutes



B750X PACE BATTERY
High Power PACE Battery
equipped built-in
connectivity
Capacity: 750 Wh.
Weight 11 lbs. (5kg)
Charge Time:
C900X charger: 75 minutes
C1800X charger 45 minutes



BATTERY CHARGERS
C900X/C1800X high
power battery chargers
with 1800W capacity
suitable for B380X and
750X PACE batteries.
Equipped with fast charge
mode and active cooling.



K12FDE-STORAGE BOX
A wooden box suitable
for transportaion.
Inserts fit two PACE
batteries and a charger.
UN3480 certified for
transportation of
lithium-ion batteries.



VACUUM ATTACHMENT
When dust or slurry
can be a problem for
trapped victims, switch
to a vacuum attachment
and vacuum away the
hazard.



K1 PACE E14, 94-VOLT BATTERY POWERED ROTARY SAWS AND ACCESSORIES

K12E14RBDLP7

Rescue E14 Battery Saw, Piraya Blade, C1800X Charger, (2) B750X Batteries

K12E14RBDLM7

Rescue E14 Battery Saw, MAXI Blade, C1800X Charger, (2) B750X Batteries

K12E14RSQBDLP

Rescue E14 Battery Saw, Piraya Blade, C900X Charger, (2) B380X Batteries

K12E14RSQBDM

Rescue E14 Battery Saw, Carbide Blade, C900X Charger, (2) B380X Batteries

K12FDE14RSQ

Rescue E14 Battery Saw with strap & stickers only (No Blade, No Battery, No Charger)

K1PACE-12

Standard 12" Battery Saw & Tacti-Cut Blade, (No Battery, No Charger)

K1PACE-14

Standard 14" Battery Saw & Tacti-Cut Blade, (No Battery, No Charger)

750PACK

B750X Pace Power Pack - (2) B750X Batteries & (1) C1800X Charger

380PACK

B380X Pace Power Pack - (2) B380X Batteries & (1) C900X Charger

B750X

B750X Battery, 8.0 Ah, 94v

B380X

B380X Battery, 4.0 Ah, 94v

C1800X

C1800X Battery Charger for B380X-B750X Batteries

C900X

C900X Battery Charger for B380X -B750X Batteries

K12FDE-STORAGE

Battery Storage Box for B380X-B750X Batteries & Charger

K12FDE-VACKIT

K12FDE (K1 PACE) Battery Saw Vacuum Attachment



40/36V BATTERY POWERED ROTARY SAW

K12FDE10 TEAM RESCUE SAW

FIRE DEPARTMENT 10 Inch Battery Powered Rescue Saw

Gasoline Performance in a Battery Powered Rotary Saw

The K12FDE10 is a lightweight, battery-powered 10" rotary cutter with a powerful brushless motor comparable to a 2+ hp gas saw. This motor is 25% more efficient providing consistent high torque, excellent power-to-weight ratio, low noise, low vibration, zero emissions, with ergonomic handling. Includes a built-in wet cutting kit for dust control, intuitive keypad with electric blade brake, reflective glow-in-the-dark labeling, rear rope eyelet and scrench tool holder. Running on Husqvarna 40/36V BLi batteries, compatible with legacy products using the same 40/36V batteries.



Our bundle comes with a 10" PIRAYA Diamond Blade so you can make fast, efficient cuts in steel, concrete, glass, and more up to 3.94 inches deep. This saw is adaptable for wet or dry cutting and ideal for quick scoring, trimming, and lighter cutting tasks. If you add an optional 10" Blazer carbide tipped blade, single deck roof ventilation is in your reach with this lightweight powerhouse.



K12FDE10 Battery Powered 10" Rotary Rescue Saw:

The K12FDE10 provides the convenience of battery power with the performance needed for confined spaces and rapid on-site work. Battery, charger, and blade sold separately or available as a bundle below.

K12FDE10-22BDL Battery Powered E10 Saw Bundle Contains: (1) K12FD-E10 Saw, (1) Quick Charger (2) BLI Batteries (9.4Ah 40/36V), (1) PIRA-10FD Multipurpose Diamond Blade, (1) Concrete Cutting Diamond Blade.

BLI330 Individual Part - BLI-330 Battery, 9.4 Ah, 40/36v,

BLI360 Individual Part - BLI-360 Battery, 10 Ah, 40/36V

QC750 Individual Part - 750W Quick Charger for BLI- 40/36V Batteries.

7010FD **OPTIONAL:** BLAZER 10" Carbide Tipped Blade.

FIRE DEPARTMENT 16" WOOD CUTTING CHAINSAW

The FD542E battery powered Chainsaw blends high efficiency with clean operation in a lightweight, powerful machine. Reduced overall cost of ownership with this high-performance battery machine compared to an equivalent 2.4hp gas-powered chainsaw. This Battery Saw eliminates direct emissions, operates quieter with lower vibrations and minimized maintenance and never needs gas. With no worries of bad fuel or dirt ingestion causing carburetor or engine repairs, the FD542E will give you years of dependable service. 2.4hp equivalent performance with the convenience that only comes from battery power, running on Husqvarna's 40/36V BLi batteries.

FD542E TEAM RESCUE SAW

FIRE DEPARTMENT 16" WOOD CUTTING CHAINSAW *Gasoline Performance in a Battery Powered Chainsaw*



E542CHAINSAW #FD542E16 Battery Powered 16" Wood Cutting Chainsaw

Battery powered FD542E16 wood cutting chainsaw Includes:

(1) Battery powered 16" chainsaw with bar and chain, (wood cutting chain, not carbide), reflective fire department labeling, bar & chain cover, rear eyelet, scrench tool with holder, (1) BLi 9.4Ah battery, (1) Quick Charger, (1) bar & chain oil. **THIS CHAIN IS NOT FOR ROOF VENTILATION!**

FD542E16

Fire Department 16" Wood Cutting Chainsaw with Quick Charger and (1) BLi Battery (9.4Ah 40/36V)

TBSC-FD16

Replacement Chain for E542 Chainsaw 16" Wood Cutting, .325 (not carbide)

BLI330

BLI-330 Battery, 9.4 Ah, 40/36V

BLI360

BLI-360 Battery, 10 Ah, 40/36V

QC750

750W Quick Charger for BLi 40/36V Batteries

TEAM GAS POWERED CONCRETE SAWS



CONCRETE CUTTING CHAINSAW

Husqvarna gasoline powered 2-stroke K970 two-bolt Chainsaw plunge cuts 17.9" (45cm) from one side. It can make openings as small as 5" x 5" (12cm x 12 cm), ideal for rescue camera insertion, finishing corner cuts a standard rotary saw can't reach or when you don't want to over-cut the corner. *** **Wet cutting concrete only**

Power Source - Gasoline

Output Power - 6.5 hp

Sound at Operator - 104 db

Vibration Front Handle - 3.6 m/s²

Weight - 26.5 lbs

Vibration Rear Handle - 3.6 m/s²

967660501 K970 Concrete Cutting Chainsaw Powerhead (no bar, no chain)


587781402 Guide Bar for Husqvarna K970 Concrete Cutting Chainsaw (16" bar for 18" chains)

590330101 Husqvarna Diamond Chain for OLD K970 Concrete Chainsaw, 14", SLC45 - (wet cut only)

548587201 Husqvarna Diamond Vari-Chain C45 for K970 Concrete Chainsaw, 18" Cut - (wet cut only)

548587001 Husqvarna ELITE-CHAIN™ C20 K970 Concrete Chainsaw, 18" Cut - (wet cut only)

548587101 Husqvarna ELITE-CHAIN™ C70 K970 Concrete Chainsaw, 18" Cut - (wet cut only)



CONCRETE CUTTING CUT-N-BREAK

The Husqvarna K760 Cut-n-Break enables you to cut 4" at a time, as deep as 16" inches from one side. Comes with two 9" high speed blades that cut a core in the concrete that can be broken out using the accompanying breaking tool. *** **Wet cutting concrete only.**

Power 6.5 hp (94cc)

Bar Length 18" (45.7cm)

Weight 26.5 lbs

Sound at Operator 104 db

Vibration Front Handle 3.6 m/s²

Vibration Rear Handle 3.6 m/s²

967195701 K760 9" Cut-N-Break Saw Gasoline (TCB760), two 9" blades included

967083301 K4000 Cut-N-Break Electric 110V, two 9" blades included

597808001 Set of two Replacement Blades, 9" blades for Cut-N-Break saws only

TEAM CONCRETE CUTTING SAWS

Husqvarna K970 Ring Saw is the world's first gas-powered cutter able to make 10.6" deep concrete cuts with a 14" diamond blade or 12.8" with the 17" model. Husqvarna's patented Ring Saw technology, where the blade is driven from the periphery instead of its center, makes it possible to have the best of both worlds. Larger cutting performance in a smaller lightweight handheld cutter. This strong 6.5 hp easy to handle (30 lbs.) gas-powered cutter, is a great addition to any heavy rescue, USAR, Task Force, disaster response equipment cache. *** **Wet cut concrete cutting only**

CONCRETE CUTTING RINGSAW



Power Source	Gasoline - Petrol	Weight	30 lbs / 32 lbs
Output Power	6.5 hp (94cc)	Sound at Operator	104 db
Cutting Depth, Max	10.6" / 12.8"	Vibration Front Handle	2.7 m/s²
Blade Diameter	14" / 17"	Vibration Rear Handle	3.4 m/s²

9714RING K970 14" Gasoline Ringsaw, Saw Only (NO BLADE)
970608201 K970 17" Gasoline Ringsaw, Saw Only (NO BLADE)



Husqvarna PP518 gas-powered hydraulic power pack for K3600MKII and K 2500 Hydraulic power cutters.

Part #	967153602
Power	18 hp
Oil Flow	10 gal/min
Max Pressure	1,595 psi
Weight	280 lbs



Husqvarna Hydraulic power cutter. The K2500 works with a traditional 16" cutting blade 6" max cut depth.

Part #	968365401
Power	7 hp
Cut Depth	6"
Blade Diameter	16"
Weight	18.3 lbs



Husqvarna Hydraulic power cutter. K3600MKII rim drive system provides 10.6" cut depth with a 14" blade.

Part #	968424101
Power	5.8 hp
Cut Depth	10.6"
Blade Diameter	14"
Weight	18.3 lbs



35 YEARS OF INNOVATION

ICS is synonymous with innovation and excellence, having revolutionized the industry with the world's first diamond chain for concrete cutting.


Since 1990, we have been committed to leading with cutting-edge solutions that enhance productivity and make our customers' jobs safer, faster, and easier.



TEAM ICS CONCRETE CUTTING SAWS


HYDRAULIC POWER - AIR POWER - GAS POWER

ICS concrete power cutters are designed for efficiency and precision, allowing you to make deeper, cleaner, and more accurate cuts in less time. Their portability allows you to tackle jobs in any location.



DIAMOND PULSE TECH

A revolutionary approach to core drilling that integrates breakthrough innovations across the entire platform. Each component is designed to work in synergy, enabling advanced hybrid drilling techniques. This system enhances efficiency and accelerates project timelines, allowing you to achieve more in less time. Experience the future of drilling technology.



HYDRAULIC POWER PACKS



TEAM
RESCUE
TOOLS



TEAM RESCUE BLADES FOR RESCUE SAWS - IN STOCK TODAY!

Fire departments and rescue teams worldwide trust the durability and performance of TEAM Rescue Blades. TEAM's Diamond Blades have become the preferred choice over abrasive wheels, offering consistent cutting depth, fewer blade changes, and greater safety. They last longer, produce fewer sparks, and resist heat, moisture, and breakage. For roof ventilation, TEAM's carbide-tipped blades are ideal for skilled professionals, while TEAM's abrasive blades remain a cost-effective option for lighter or budget-limited cutting tasks. TEAM Rescue Blades deliver unmatched efficiency and value, backed by our performance guarantee.



PIRAYA DIAMOND BLADE


PIRA-9FD – 9" DIAMOND BLADE, 5/8"-7/8" arbor.

PIRA-10FD – 10" DIAMOND BLADE, 20mm & 1" arbor.

PIRA-12FD – 12" DIAMOND BLADE, 20mm & 1" arbor.

PIRA-14FD – 14" DIAMOND BLADE, 20mm & 1" arbor.

PIRA-16FD – 16" DIAMOND BLADE, 20mm & 1" arbor.



Vacuum brazed diamonds for fast aggressive cutting.

One PIRAYA Diamond Blades outlasts 100+ abrasive blades

The Piraya Diamond Blade for Fire Rescue, provides fast concrete and steel cutting with light wood cutting versatility fire departments need. PIRAYA cuts concrete, masonry, metal, plastic, thin wood, rebar, copper, glass, windshields, hurricane windows, auto parts, tile, aluminum, stainless steel, corrugated roofs and more. Piraya Diamond Blade is not intended for heavy wood cutting. Use a Carbide tipped blade as your primary wood cutting blade for rescue operations.



USAR FEMA Diamond Blades outlasts 300+ abrasive blades

The USAR FEMA is our very best Diamond Blade for cutting a multitude of concrete products at collapsed buildings and disaster sites. Perfect for major cities, US&R and FEMA rescue teams. Excellent blade life. Cuts concrete, hard-medium and soft brick, block, pea gravel, limestone, asphalt.

TD14MP – 14" USAR FEMA DIAMOND SEGMENT BLADE, 20mm & 1" arbor



LIGHTNING III Diamond Blades outlasts 150+ abrasive blades

The LIGHTNING III Diamond Segment Blade has a heavier core for added stability and larger diamond segments for longer life. A workhorse blade at a super value for cutting a multitude of steel and concrete with excellent blade life.

TLDB12 – 12" LIGHTNING DIAMOND SEGMENT BLADE, 20mm & 1" arbor

TLDB14 – 14" LIGHTNING DIAMOND SEGMENT BLADE, 20mm & 1" arbor



TEAM'S PREMIUM ABRASIVE BLADES

TEAM's premium abrasive blades are formulated to meet or exceed saw manufacturers specifications for safety with an emphasis on "BREAK RESISTANCE" using high quality fiberglass reinforcement.

T1410D – Combination Concrete/Steel Cutting Abrasive Wheel, 14", 1" Arbor

T1210D – Combination Concrete/Steel Cutting Abrasive Wheel, 12", 1" Arbor

TEAM RESCUE BLADES FOR RESCUE SAWS - IN STOCK TODAY!

MAXIBLADE CARBIDE TIPPED FIRE RESCUE BLADE



TEAM 14" MAXIBLADE top performing carbide blade has excellent cutting characteristics with thinner core, 30 tungsten carbide tips and deep gullets to clear chips and other debris from the cut faster. Ideal for emergency use when super-fast wood cutting is required.

Cuts: Tar & Gravel Roofs, Plastic, Corrugated Roofing, Wood, Light Sheet Metal, Rail Ties, Shingle Roofs. For use by highly trained rescue personnel only!

TMB14 – 14" MAXIBLADE, 30 TOOTH CARBIDE BLADE, 1" arbor only

BLAZER CARBIDE TIPPED FIRE RESCUE BLADE



TEAM BLAZER blade was specially designed for Fire Rescue work. Ideal tooth number (12 on 10" blade, 16 on 12" blade, 18 on 14" blade). Larger/stronger carbide tips absorb shock with less breakage. Increased plate thickness reduces blade "chatter" for smoother more stable cutting.

Cuts: Tar & Gravel Roofs, Plastic, Corrugated Roofing, Wood, Light Sheet Metal, Rail Ties, Shingle Roofs. For use by highly trained rescue personnel only!

7010FD – 10" BLAZER, 12 TOOTH CARBIDE BLADE, 1" arbor only

700216FD – 12" BLAZER, 16 TOOTH CARBIDE BLADE, 1" arbor only

700118FD – 14" BLAZER, 18 TOOTH CARBIDE BLADE, 1" arbor only



**TIME TESTED, TIME TRUSTED,
SINCE 1985**

DeWalt & AJAX Rescue Tools through Team Rescue Tools Dealers



DEWALT 9 INCH CUT-OFF SAW KIT

OSHA For dust management when cutting concrete

9" PIRAYA DIAMOND BLADE

OPTIMIZED DEPTH OF CUT 3-1/4 in. depth of cut

ROTATABLE GUARD 5-position for optimized approach angle visibility when cutting in tight spots

HEAVY LOAD INDICATOR Provides user feedback without stopping short at completion

ENLARGED BATTERY BOX To allow use of the DCN615 (This Battery Sold Separately)

LATCHED BATTERY BOX Helps keep motor and airbrake dust out

2-STAGE TRIGGER Helps prevent accidental activation

ALL-METAL DRIVETRAIN

#D9SAW-KP

TRT DEWALT 9 INCH CUT-OFF SAW KIT

TRT-RECYC Tool Tag not included.

TRT DEWALT 1/2 INCH POWER CRANK DRILL KIT

2 Variable Speed Ranges 10-300 / 0-1250 rpm

Metal Gear Housing for improved durability and increased reliability.

E-CLUTCH™ Shuts down the tool in bind-up situations.

Adjustable 2-Position Side Handle, adjustable Bail Handle

KIT INCLUDES:

- (1) 1/2" Power Crank Drill
- (1) 20/60V MAX* 9 Ah Battery
- (1) Fast Charger
- (1) Furling Drill Adapter
- (1) Kit Bag

#PWRCRANK-1

TRT DEWALT 1/2 INCH POWER CRANK DRILL KIT

E-CLUTCH™ Helps to reduce accidental starts

TRT DEWALT FLEXVOLT 7-1/4 INCH CIRCULAR SAW KIT

HOOK For easy storage

2.5x THE POWER

ELECTRONIC BRAKE Stops the blade after the trigger is released

BRIGHT LED For increased visibility and cutting accuracy

KIT INCLUDES:

- (1) 7-1/4 inch Circular Saw
- (2) 20/60V MAX* 9 Ah Battery
- (1) Fast Charger
- (1) 7-1/4 inch 24 Tooth Blade
- (1) Kit Bag

#CIRCSAW-K2

TRT DEWALT FLEXVOLT 7-1/4 INCH CIRCULAR SAW KIT

TRT DEWALT FLEXVOLT 4.5" - 6" ANGLE GRINDER KIT

33 Amp Equivalent Power* Power to Complete Demanding Applications

4.5" - 6" Capacity Includes 4.5" Type 27 Grinding Guard and 6" Type 27 Grinding Guard

#GRINDER-K2

TRT DEWALT FLEXVOLT 4.5" - 6" ANGLE GRINDER KIT

Two Stage Trigger Helps to reduce accidental starts

Brake Brings wheel to a stop in less than 2 seconds when the trigger is released

Kickback Brake™ Automatically shuts down motor and stops wheel to a stop when wheel pinch is detected

One-Touch™ Guard Compatibility

TRT DEWALT RECIPROCATING SAW KIT

KEYLESS BLADE CLAMP Quick 2-Step Blade Change

BRIGHT LED Illuminates dark work surfaces

PYVOTING SHOE Pivoting foot for a variety of applications

2x THE POWER

KIT INCLUDES:

- (1) Reciprocating Saw
- (2) 20/60V MAX* 9 Ah Battery
- (1) Fast Charger
- (1) 6 inch Fire Rescue Blade
- (1) 8 inch Fire Rescue Blade
- (1) Kit Bag

#RECSAW-K2

TRT DEWALT RECIPROCATING SAW KIT

TRT DEWALT SDS-MAX-2 ROTARY HAMMER KIT

HIGH PERFORMANCE HAMMER MECHANISMS (13.3 and 19.4 Joules of Impact Energy) delivering the highest performing SDS MAX rotary hammers in the industry.

SHOCKS™ ACTIVE VIBRATION CONTROL SYSTEM Reduces vibration felt at the handle

E-CLUTCH™ Shuts down the tool in bind-up situations.

KIT INCLUDES:

- (1) SDS-MAX 2" Rotary Hammer Drill
- (2) 20/60V MAX* 9 Ah Battery
- (1) Fast Charger
- (1) Kit Bag

#RHRDRILL-K

TRT DEWALT SDS-MAX-2 ROTARY HAMMER KIT

SHOCKS™ Reduces vibration

E-CLUTCH™

TEAM RESCUE TOOLS

Available Through Dealers Nationwide



The MACK-NFPA3™ System Designed and Used by Fire & Rescue Professionals

The MACK-NFPA3™ System contains an isolation valve used to separate breathing air manifolds so the unit can be used in rescue operations. The MACK-NFPA3™ design was implemented to conform with NFPA confined space entry rescue regulations.

Three separately regulated manifolds provide a portable air distribution package for any pressure requirement.

The MACK-NFPA3 system has been designed and tested by fire and rescue professionals. Four separately regulated air systems provide a portable air distribution package for any pressure requirement



Innovative Safety Products

Breathing Air Filtration
Breathing Air Compressors
Breathing Air Carts & Trailers
High Pressure Breathing Air
Air Cylinder Carts
Custom Breathing Air Systems
Confined Space Ventilation
Fire and Rescue Air Products
Environmental Control

www.AirSystems.com

2025
Master
Catalog

40
1984-2024



Rescom

Designed and Used by Fire & Rescue Professionals

Rescom Elite® is an instantly deployable, Intrinsically Safe, hardline system designed to provide clear, effective, and continuous communication for a confined space or a high-angle rescue scenario.

These systems typically consist of:

- A Primary Interface with a Headset for the Attendant
- Two or more Dependent Interface units with headsets for Entrants
- Combined Safety/Communication Ropes™ and/or DuraCORE™ Cables
- A Junction Box



7-man Rescom Elite® system

The belt-mounted Primary Interface (DMI) provides centralized power for all other Interface Units (DSI). The entire system operates on low voltage and can be powered by 3 AA batteries, which are housed in the DMI unit. The Combined Safety/Communication Rope™ is a unique SED design used as a primary or secondary lifeline in rescue scenarios, setting the standard for communication lifelines for over 37 years.

What sets the Rescom Elite® Communication System apart from other hardline systems on the market?

Our 10,000 lb. tensile strength NFPA-rated Combined Safety/Communication Rope™ contains built-in wiring, simplifying line management and thus, reducing the chance of user entanglement while working.



**TIME TESTED, TIME TRUSTED
SINCE 1985**

6620 Orchid Lake Road
New Port Richey, FL. 34653-1111
P: 727.848.2424 F: 727.845-5941
www.teamequipment.com

Your Team Rescue Tools Local Dealer